

ಶ್ರೀ ಟಿ. ಡಿ. ದೇವೇಂದ್ರಪ್ಪ.—ಈಗಾಗಲೇ ಎರಡೂವರೆ ಲಕ್ಷ ಎಕರೆ ಭೂಮಿ ಇದೆ ಅಲ್ಲ. ಅದಾದರೂ ಇನ್ನೊಂದು ಕಾರ್ಖಾನೆಯನ್ನು ಹಾಕುವುದಕ್ಕೆ ಯಾರಾದರೂ ಬಾಸಗಿ ಜನರು ಮುಂದೆ ಬಂದರೆ ಅಂಥವರಿಗೆ ರೈಸೆನ್ಸ್ ಕೊಡಲು ಕೇಂದ್ರಕ್ಕೆ ತಿಳಿಸುವುದು ಮಾಡಿ ಕೊಡುತ್ತೀರಾ ? ಅದಕ್ಕೂ.—ಅದು ಹೆಚ್ಚು ಕೆಲಸವೇ ಆಯಿತು, ಹಾಗೆ ಬಂದರೆ ಸಿರಿಗೆ ಮಾಡುತ್ತೀರ ಎಂದು ಕೇಳುವುದು. ಬಂದರೆ ನೋಡೋಣ ಎಂದು ಹೇಳುತ್ತಾರೆ.

ಶ್ರೀ ಟಿ. ಡಿ. ದೇವೇಂದ್ರಪ್ಪ.—ಬಂದಿದೆ.

ಶ್ರೀ ಕೆ. ಮಲ್ಲಪ್ಪ.—ಬಹಳ ಊಹೆ ಇದೆ ಇದರಲ್ಲಿ ಹೆಚ್ಚು ಕಬ್ಬು ಬೆಳೆದರೆ, ಯಾರಾದರೂ ಕಾರ್ಖಾನೆ ಮಾಡಲು ಮುಂದೆ ಬಂದರೆ ರೈಸೆನ್ಸ್ ಕೊಡುತ್ತೀರ ಎಂದು ಮಾನ್ಯ ಸದಸ್ಯರು ಕೇಳುತ್ತಾರೆ. ಹೆಚ್ಚು ಕಬ್ಬು ಬೆಳೆದರೆ, ಯಾರಾದರೂ ಸರಿಯಾದ ಜನರು ಮುಂದೆ ಬಂದರೆ ಆರೋಚನೆ ಮಾಡಬಹುದು.

### Cauvery Water Supply Scheme

\*Q.—179. Sri G. V. GOWDA (Palyam).—

Will the Government be pleased to state :—

(a) whether the Cauvery Long Range Water Supply Scheme has been taken up for execution ;

(b) the estimated cost for Water Supply, distribution and sewerage respectively ;

(c) the quantity of Cast Iron (Pipes) required for the project ;

(d) whether tenders have been called for to secure the Cast Iron Pipes and if not the reasons therefor ?

A —Sri K. PUTTASWAMY (Minister for Municipal Administration).—

(a) Yes.

(b) (i) Water Supply ... Rs. 15,82,00,000.

(ii) Distribution ... Rs. 3,68,00,000.

(iii) Sewerage & Treatment Works ... Rs. 6,50,00,000.

C. I. Pipes.

(c) 4" dia. ... 5,00,000

6" dia. ... 1,50,000

8" dia. ... 50,000

9" dia. ... 30,000

10" dia. ... 20,000

12" dia. ... 1,50,000

14" dia. ... 5,150

15" dia. ... 56,650

18" dia. ... 29,250

20" dia. ... 2,160

21" dia. ... 1,100

22" dia. ... 6,530

24" dia. ... 25,740

27" dia. ... 12,900

28" dia. ... 24,000

30" dia. ... 13,400

(SRI K. PUTTASWAMY)

(d) No, as the C. I. Pipes are procured on D. G. S. and D. rate contract the question of calling for tenders does not arise.

Sri G. V. GOWDA.—May I know what is this DG and D. Rate contract ?

Sri K. PUTTASWAMY.—That means Director General of Supplies and Disposals Rate Contract.

Sri G. V. GOWDA.—May I know whether the Government have ascertained that the rates prevailing outside are much lesser than the DGS and D rates according to which they now propose to purchase ?

Sri K. PUTTASWAMY.—Sir, after getting the quotations, these rates are fixed up and every State purchases these materials at the rates fixed.

Sri S. M. KRISHNA.—Were global tenders called for the execution of any particular work in this Cauvery Water Supply Scheme ?

Sri K. PUTTASWAMY.—Not as yet.

ಶ್ರೀ ಸಿ. ಅರ್. ರಂಗೇಗೌಡ.—(ಎ) ಪ್ರಶ್ನೆಗೆ ಉತ್ತರವಾಗಿ ಹೌದು ಎಂದು ಹೇಳಿದ್ದೀರಿ, ಬೆಂಗಳೂರು ಕಾರ್ಪೊರೇಷನ್ನಲ್ಲಿ ಅಡಳಿತ ಪಕ್ಷಕ್ಕೆ ವಿರೋಧವಾಗಿ ಮೇಯರ್ ಇರುವುದರಿಂದ, ಅಲ್ಲಿ ಭಿನ್ನಾಭಿಪ್ರಾಯ ಬಂದು ಕೆಲಸ ನಿವಾಸವಾಗಿದೆ ಎಂಬ ಅಭಿಪ್ರಾಯ ಜನರಲ್ಲದೆ ಇದು ನಿಜವೇ ?

ಶ್ರೀ ಕೆ. ಪುಟ್ಟಸ್ವಾಮಿ.—ಅದು ನಿಜವಲ್ಲ, ಆ ಅಭಿಪ್ರಾಯವಿದ್ದರೆ ಅದು ಸರಿಯಲ್ಲ.

ಶ್ರೀ ಎಸ್. ಎಂ. ಕೃಷ್ಣ.—ಮುಂದೆ ಜನರಲ್ಲಿ ಆ ರೀತಿಯ ಅನುಮಾನ ಬಾರದೇ ಇರುವಂತೆ ಕೆಲಸ ಮಾಡುತ್ತೀರಾ ?

ಶ್ರೀ ಕೆ. ಪುಟ್ಟಸ್ವಾಮಿ.—ಅನುಮಾನಕ್ಕೆ ಅವಕಾಶ ಕೊಡದಿರುವ ರೀತಿಯಲ್ಲಿ ಕೆಲಸ ಮಾಡುವ ಭರವಸೆ ಕೊನೆಬೆಳೆಸುವುದಿಲ್ಲ, ಯಾರೇ ಬರಲಿ, ಕಾನೂನು ಪ್ರಕಾರ ಅಡಳಿತ ನಡೆಯುತ್ತದೆ.

ಶ್ರೀ ಸಿ. ಜಿ. ಮುಕ್ಕಣ್ಣಪ್ಪ.—ಪ್ರಶ್ನೆಯ (ಡಿ) ಭಾಗಕ್ಕೆ ಉತ್ತರವಾಗಿ ಸಿ.ಐ. ಪೈಪುಗಳನ್ನು ಡಿ. ಜಿ. ಎಸ್. ಮತ್ತು ಡಿ ರೇಟ್ ಕಾಂಟ್ರಾಕ್ಟ್ ಪ್ರಕಾರ ತೆರಿಗೆಯತ್ತೇವೆಂದು ಹೇಳಿದ್ದೀರಿ, ಬೆಂಗಳೂರು ಪಾಟರ್ ನಷ್ಟಕ್ಕೆ ಪೈಪುಗಳನ್ನು ಕೊಳ್ಳುವ ಸಂಬಂಧವಲ್ಲ ಒಂದು ನೋಟ ಬಂದ ಕಾರಣದಿಂದ ಒಬ್ಬ ಜೀವಾ ಇಂಜಿನಿಯರನ್ನು ಆಹುತಿ ತೆಗೆದುಕೊಂಡರು, ಈಗ ಯಾರನ್ನು ಆಹುತಿ ತೆಗೆದುಕೊಳ್ಳಬೇಕೆಂದಿದ್ದಾರೆ ?

ಶ್ರೀ ಕೆ. ಪುಟ್ಟಸ್ವಾಮಿ.—ಇದಕ್ಕೇನೂ ಅಹುತಿಯಿಲ್ಲ.

ಶ್ರೀ ಎಚ್. ಆರ್. ಕೇಶವ ಮೂರ್ತಿ.—ಉಳಿದ ಪೈಪುಗಳಿಗೂ ಟೆಂಡರು ಕರೆದು ತಮ್ಮ ಮಂತ್ರಿತ್ವದ ಅವಧಿಯಲ್ಲೇ ಪೂರ್ತಿ ಮಾಡುತ್ತೇವೆಂದು ಭರವಸೆ ಕೊಡುತ್ತೀರಾ ?

ಶ್ರೀ ಕೆ. ಪುಟ್ಟಸ್ವಾಮಿ.—26 ಕೋಟಿ ರೂಪಾಯಿನ ಕೆಲಸಕ್ಕೆ ಇನ್ನೂ ಮಂಜೂರಾತಿ ದೊರೆತಿಲ್ಲ, ಒಂದೊಂದು ಕೋಟಿ ರೂಪಾಯಿನ ಕೆಲಸ ತೆಗೆದುಕೊಳ್ಳುವುದಕ್ಕೆ ಮಂಜೂರಾತಿ ಕೊಡಿದ್ದಾರೆ; 26 ಕೋಟಿ ರೂಪಾಯಿನ ಅಂದಾಜಿಗೆ ಮಂಜೂರಾತಿ ದೊರೆಯುತ್ತಕ್ಕ ಸಂಭವವಿದೆ ಯಾದುದರಿಂದ ಕೆಲಸವನ್ನು ತೆಗೆದುಕೊಳ್ಳುತ್ತೇವೆ. ಇದು ಮುಗಿಯಬೇಕಾದರೆ ಇನ್ನೂ ಏವಾರು ವರ್ಷ ಬೇಕಾಗುತ್ತದೆ. ಅದುವರೆಗೆ ವೇತನವನ್ನೇ ಮಂತ್ರಿಯಾಗಿಟ್ಟರೆ ಪೂರೈಸುತ್ತೇನೆ.

ಶ್ರೀ ಸಿ. ಜಿ. ಮುಕ್ಕಣ್ಣಪ್ಪ.—ಈ ಪೈಪುಗಳನ್ನು ಭದ್ರಾವತಿಯಲ್ಲಿ ತೆಗೆದುಕೊಳ್ಳುತ್ತೀರೋ ಅಥವಾ ಕುತ್ತದಲ್ಲಿ ದೊಡ್ಡ ದೊಡ್ಡ ಕಾರ್ಖಾನೆಗಳಿಗೆ ಆರ್ಡರ್ ಕೊಟ್ಟು ಅಲ್ಲಿಂದ ತರಿಸುತ್ತೀರೋ ?

ಶ್ರೀ ಕೆ. ಪುಟ್ಟಸ್ವಾಮಿ.—ಭದ್ರಾವತಿ ಕಾರ್ಖಾನೆಯಲ್ಲಿ ತಯಾರಾಗುವುದಿಲ್ಲವನ್ನೂ ತೆಗೆದು ಕೊಳ್ಳುತ್ತೇವೆ, ಸಂಬಂಧದ ಬೇರೆ ಕಡೆಯಿಂದ ತೆಗೆದುಕೊಳ್ಳಬೇಕಾಗುತ್ತದೆ.

Sri G. V. GOWDA.—From how many firms have you received quotations and on what basis rates were quoted ?

Sri K. PUTTASWAMY.—That information is not with me. I want notice.

**Sri G. V. GOWDA.**—The purpose of putting the question was to know whether tenders have been called for and quotations have been received and whether they have adopted the lowest quotations.

**Sri K. PUTTASWAMY.**—I have already stated that these purchases are made according to the DGS and D. Contract rates and what they have done to fix up that rate, that information is not with me.

**Sri C. J. MUCKANNAPPA.**—Out of these pipes required for the Water Supply Scheme, may I know what number of items that are manufactured in Bhadravathi for the Cauvery Water Supply Scheme?

**Sri K. PUTTASWAMY.**—That information is not available with me but at Bhadravathi we can manufacture upto 27 inches dieameter pipes and all the pipes that are being manufactured there are supplied to the Water Supply Board.

**Sri C. J. MUCKANNAPPA.**—Have you got any agreement arrived at between the Bhadravathi Iron Works and the Cauvery Water Supply Board regarding the supply of required diameter pipes?

**Sri K. PUTTASWAMY.**—The Board has come into existence very recently and there is no agreement, but prior to the Board coming into existence, departmental supplies were being made and we are purchasing all the supplies that they were able to manufacture.

**Sri G. V. GOWDA.**—Whether the Government has ascertained that the rate determined by the DGSD is not higher than the prevailing rates?

**Sri K. PUTTASWAMY.**—I have already submitted that this is the rate at which all the manufacturers supply. I do not know whether there are any other firms outside which are not covered by this rate. I do not think that there are any firms. I have been making enquiries for supply of pipes of certain other water works. We find it rather difficult to get pipes.

9-30 A.M.

### **Equating the Posts of Road Inspectors Grade I as Work Inspectors in South Kanara District.**

\*Q.—236. **Sri M. MADHVA RAJ (Udipi).**—

Will the Government be pleased to state :—

The reasons for equating the provincialised Road Inspectors Grade I as Work Inspectors, and Road Inspectors Grade II as Maistries in the scale of Rs. 25-1-35 in the year 1957 which is lower than their existing pre-integration scale of Rs. 35-1-45, and though the duties and responsibilities of these Grade I and Grade II Inspectors were similar and identical in South Kanara District?